IUGS

OFFICIAL ANNOUNCEMENT



IN MONCHIQUE. NOVEMBER 6TH / 2026

THE THIRD 100 IUGS GEOLOGICAL HERITAGE SITES

IUGS GEOLOGICAL HERITAGE SITES

”An ***IUGS Geological Heritage Site*** is a key place with extraordinary geological elements or processes of the highest scientific relevance, used as a global reference, and/or with a substantial contribution to the development of geological sciences through history “



1

HISTORY OF GEOSCIENCES

SITE 201 - SITE 210

THE SILURIAN SCHOONMAKER REEF AT WAUWATOSA

UNITED STATES OF AMERICA



SITE

201

THE FIRST (1862) FOSSIL CORAL REEF DEFINED BY DEPOSITIONAL AND ENVIRONMENTAL CRITERIA

SPINDLETOP SALT DOME OIL FIELD

UNITED STATES OF AMERICA



SITE

202

THE DISCOVERY THAT VALIDATED SALT DOME STRUCTURES AS KEY GEOLOGICAL CONTROLS FOR MASSIVE OIL ACCUMULATIONS

THE 1906 EARTHQUAKE ON THE NORTHERN SAN ANDREAS FAULT

UNITED STATES OF AMERICA



SITE

203

STUDIES OF THE SAN ANDREAS FAULT AFTER THE 1906 SAN FRANCISCO EARTHQUAKE ADVANCED THE SCIENTIFIC UNDERSTANDING OF EARTHQUAKES AND FAULTS.

INTRUSIVE CONTACT AT SEA POINT

SOUTH AFRICA



SITE

204

A HISTORICALLY SIGNIFICANT GEOLOGICAL CONTACT, STUDIED BY CHARLES DARWIN IN 1836, THAT CONTINUES TO PROVIDE VALUABLE INSIGHTS INTO INTRUSION-WALL-ROCK INTERACTIONS.

THE DUN MOUNTAIN OPHIOLITE BELT

NEW ZEALAND



SITE

205

IT EXEMPLIFIES THE FULL SPECTRUM OF MANTLE-ORIGIN OLIVINE-BEARING ROCKS, METASOMATIZED INTRUSIONS, AND MINERALIZED REGIONS.

LAKI 1783-84 ERUPTION

ICELAND



SITE

206

A CATASTROPHIC FLOOD LAVA ERUPTION WITH SIGNIFICANT GLOBAL IMPACT AND UNPARALLELED DOCUMENTATION

SÁG HILL VOLCANO
HUNGARY



SITE
207

THE BIRTHPLACE OF MODERN GEOPHYSICAL RESEARCH WHERE THE EÖTVÖS PENDULUN GRAVITY MEASUREMENT WAS TESTED FOR THE FIRST TIME.

MAARS AND DIATREMES OF THE "SWABIAN VOLCANO"

GERMANY



SITE

208

ONE OF THE WORLD'S LARGEST MAAR-DIATREME FIELDS PLAYED A CRUCIAL ROLE IN DEVELOPING AN UNDERSTANDING OF MAGMA ASCENT DYNAMICS.

KOMORNÍ HŮRKA HILL

CZECH REPUBLIC



SITE

209

A SCORIA CONE WHERE THE FIRST SCIENTIFIC EXCAVATION DISCOVERED A BASALTIC NECK, RESOLVING THE NEPTUNIST–PLUTONIST CONTROVERSY OVER ROCK ORIGINS.

GALAPAGOS HYDROTHERMAL VENTS

ECUADOR



SITE

210

THE FIRST HYDROTHERMAL VENTS DISCOVERED IN THE WORLD OCEAN.

2

STRATIGRAPHY AND SEDIMENTOLOGY

SITE 211 - SITE 227

MESOARCHEAN BELINGWE GREENSTONE BELT

ZIMBABWE



SITE

211

A WINDOW TO THE ARCHEAN EARTH WITH AN EXTRAORDINARY COMBINATION OF EARLY CRUST, EARLY LIFE, PRISTINE KOMATIITES AND A MONUMENTAL BASAL UNCONFORMITY.

THE SILURIAN STRATIGRAPHIC SECTION OF MOUNT CELLON

AUSTRIA



SITE

212

THE FOSSILIFEROUS SILURIAN STRATIGRAPHIC SECTION OF MOUNT CELLON EXTENDS CONFORMABLY FROM THE UPPER ORDOVICIAN TO THE LOWER DEVONIAN.

END-PERMIAN MASS EXTINCTION AT THE OPAL CREEK SECTION

CANADA



SITE

213

NORTH AMERICA'S MOST DETAILED BIOSTRATIGRAPHICALLY CONSTRAINED GEOCHEMICAL RECORD OF THE GREATEST PHANEROZOIC MASS EXTINCTION

THE LOWER JURASSIC REFERENCE SECTION OF PENICHE

PORTUGAL



SITE

214

WHERE THE ATLANTIC MEETS THE TETHYS, IN ONE OF THE WORLD'S MOST ICONIC AND STUDIED LOWER JURASSIC SECTION.

"EDGE OF THE WORLD" MESOZOIC CARBONATE PLATFORM

SAUDI ARABIA



SITE

215

A DRAMATIC ESCARPMENT LOCATED WITHIN ONE OF THE MOST PROMINENT PETROLEUM RESERVOIRS FORMATIONS WORLDWIDE

UPPER CRETACEOUS STRATA OF THE BOOK CLIFFS

UNITED STATES OF AMERICA



SITE

216

A LONG WELL-EXPOSED SECTION OF FLUVIAL TO OFFSHORE MARINE FACIES, IMPORTANT FOR THE DEVELOPMENT OF SEQUENCE STRATIGRAPHY.

TSUNAMITE DEPOSITS ASSOCIATED WITH THE CHICXULUB IMPACT IN LA POPA BASIN

MEXICO



SITE

217

THE STRATIGRAPHIC RECORD OF THE TSUNAMI CREATED BY THE IMPACT THAT CAUSED THE CRETACEOUS–PALEOGENE BOUNDARY MASS EXTINCTION

CRETACEOUS – PALEOGENE STRATIGRAPHIC SECTION OF STEVNS KLINT

DENMARK



SITE

218

ONE OF THE MOST STUDIED, COMPLETE, AND BEST-EXPOSED CRETACEOUS–PALEOGENE BOUNDARY SECTIONS IN THE WORLD.

LACUSTRINE DEPOSITS OF THE EOCENE GREEN RIVER FORMATION

UNITED STATES OF AMERICA



SITE

219

A REFERENCE SECTION FOR LACUSTRINE STRATIGRAPHY CONTAINING ONE OF THE BEST EXPOSED AND MOST STUDIED EARLY EOCENE CLIMATE OPTIMUM RECORDS.

SPERRGEBIET DIAMOND MEGA-PLACER

NAMIBIA



SITE

220

MULTI-PROCESS DIAMOND MEGA-PLACER INVOLVING FLUVIAL, MARINE AND AEOLIAN PROCESSES. THIS IS THE ONLY PLACER OF ITS KIND GLOBALLY

MESSINIAN STRATIGRAPHIC SECTION AT VENA DEL GESSO ROMAGNOLA

ITALY



SITE

221

AN OUTSTANDING WITNESS OF THE MESSINIAN MEDITERRANEAN SALINITY CRISIS, HOSTING PECULIAR KARST EVOLUTION PROCESSES AND LANDFORMS.

NIUE UPLIFTED CORAL ATOLL

NIUE



SITE

222

ON OF THE WORLD'S LARGEST UPLIFTED CORAL ATOLL WITH EMERGED TERRACES, NOTCHES, CAVES, SPELEOTHEMS AND FOSSILS.

MIO-QUATERNARY CONTINENTAL GEOARCHIVE OF GUADIX-BAZA

SPAIN



SITE

223

THE MOST COMPLETE EUROPEAN CONTINENTAL ARCHIVE DEMONSTRATING MAMMAL INTERCHANGE BETWEEN AFRICA AND EURASIA INCLUDING THE FIRST HOMINIDS IN EUROPE.

THE MONTALBANO JONICO PLEISTOCENE MARINE SECTION

ITALY



SITE

224

THE MOST STUDIED AND DETAILED PALEOCLIMATIC RECORD ACROSS THE LOWER-MIDDLE PLEISTOCENE BOUNDARY.

THE QUATERNARY FLUVIAL TERRACE SYSTEM OF THE SOMME

FRANCE



SITE

225

ONE OF THE BEST-ESTABLISHED GEOLOGICAL, CHRONOLOGICAL, AND PALEOENVIRONMENTAL FRAMEWORKS FOR PALAEOLITHIC OCCUPATION IN EUROPE.

PLEISTOCENE TO HOLOCENE FLUVIO LACUSTRINE DEPOSITS OF MAKGADIKGADI PANS

BOTSWANA



SITE

226

ONE OF THE LARGEST EVAPORITIC PANS, SHOWING STRIKING SIMILARITIES TO PLAYA DEPOSITS ON MARS, LOCATED IN THE CENTER OF THE KALAHARI DESERT.

CARBONATE SEDIMENTOLOGY OF NORTHERN ANDROS ISLAND

BAHAMAS



SITE

227

AN OUTSTANDING REFERENCE SITE FOR CARBONATE SEDIMENTOLOGY FOR MORE THAN 100 YEARS.

3

PALEONTOLOGY

SITE 228 - SITE 237

CLASTIC MICROBIAL MATS OF THE MESOARCHEAN NHLAZATSE SECTION

SOUTH AFRICA



SITE

228

WORLDWIDE UNIQUE OUTCROP OF CLASTIC MICROBIAL MAT STRUCTURES THAT RECORDED ANCIENT CLIMATE ZONES IN AN ARCHEAN TIDAL FLAT

EDIACARAN *CLOUDINA* OUTCROPS OF EXTREMADURA

SPAIN



SITE

229

ONE OF THE BEST AND BIGGEST CONCENTRATION OF CLOUDINA, THE OLDEST ANIMAL SKELETONS, ACCESSIBLE TO EVERYONE.

WREN'S NEST SILURIAN FOSSIL ASSEMBLAGE

UNITED KINGDOM



SITE

230

AN EXCEPTIONALLY ABUNDANT, DIVERSE AND WELL PRESERVED SHALLOW MARINE INVERTEBRATE FAUNA, WORLD FAMOUS FOR ITS TRILOBITES.

EARLY DEVONIAN TERRESTRIAL ECOSYSTEM OF THE RHYNIE CHERTS

UNITED KINGDOM




SITE

231

THE EARLIEST WELL-PRESERVED TERRESTRIAL ECOSYSTEM, TRANSFORMATIVE TO OUR UNDERSTANDING OF PLANT, ANIMAL, FUNGAL AND MICROBIAL EVOLUTION AND DIVERSITY.

LATE DEVONIAN POLAR TETRAPODS AND ESTUARINE LAGERSTÄTTE OF WATERLOO FARM

SOUTH AFRICA



SITE

232

THE ONLY KNOWN FAMENNIAN POLAR ESTUARINE LAGERSTÄTTE, WHICH INCLUDES THE ONLY NON-TROPICAL DEVONIAN TETRAPODS AND AN ONTOGENETIC SERIES OF THE OLDEST LAMPREYS.

PERMIAN TETRAPODS OF BROMACKER

GERMANY



SITE

233

A TERRESTRIAL LAGERSTÄTTE UNIQUE IN THE WORLD FOR ABUNDANCE AND QUALITY OF TETRAPOD TRACKS AND PRESERVATION OF ASSOCIATED VERTEBRATE SKELETONS.

MIDDLE JURASSIC DINOSAURS OF YUNYANG

CHINA



SITE

234

RECENT MIDDLE JURASSIC DINOSAUR DISCOVERY WITH 19 FAMILIES, 12 ORDERS AND 6 CLASSES FILLING AN IMPORTANT GAP IN DINOSAUR EVOLUTION.

LOWER CRETACEOUS TLAYÚA LAGERSTÄTTE QUARRY

MEXICO



SITE

235

AN EXTRAORDINARY PRESERVATION OF FISHES, REPTILES AND INVERTEBRATES RECORDING CRITICAL INFORMATION ABOUT BIOTIC TRANSITION BETWEEN JURASSIC AND LATE CRETACEOUS.

BOLCA LAGERSTÄTTE

ITALY



SITE

236

A UNIQUE AND SPECTACULAR SNAPSHOT OF TROPICAL SHALLOW MARINE LIFE IN THE EARLY CENOZOIC OF TETHYS.

RIVERSLEIGH CENOZOIC FOSSIL SITE

AUSTRALIA



SITE

237

A RICH, GLOBALLY UNIQUE RECORD OF AUSTRALIAN MAMMAL AND OTHER VERTEBRATE EVOLUTION SPANNING THE LAST 25 MILLION YEARS.

4

IGNEOUS AND METAMORPHIC PETROLOGY

SITE 238 - SITE 246

MONCHIQUE ALKALINE COMPLEX

PORTUGAL



SITE

238

AN ICONIC CRETACEOUS MAGMATIC OCCURRENCE, CRITICAL TO UNDERSTANDING HOW THE ATLANTIC OCEAN FORMED, WITH UNIQUE ROCK TYPES.

JURASSIC YOUNGER GRANITES OF JOS

NIGERIA



SITE

239

THE BEST CLASSICAL EXAMPLE OF RING DYKES IN THE WORLD.

CRETACEOUS-PALEOCENE KOMATIITE OF GORGONA ISLAND

COLOMBIA



SITE

240

A WINDOW INTO THE EARTH'S MANTLE THROUGH THE YOUNGEST KOMATIITE ON EARTH.

ULTRAHIGH-PRESSURE METAMORPHIC ROCKS OF THE WESTERN GNEISS REGION

NORWAY



SITE

241

THE ARCHETYPAL GIANT ULTRAHIGH-PRESSURE METAMORPHIC TERRAIN DEMONSTRATING THE PROCESS OF CONTINENTAL SUBDUCTION THROUGH NUMEROUS SUPERB, ACCESSIBLE EXPOSURES.

TRIASSIC DABIE ULTRAHIGH-PRESSURE METAMORPHIC BELT

CHINA



SITE

242

THE EARTH'S LARGEST, MOST EXTENSIVE, AND WELL-PRESERVED ULTRAHIGH-PRESSURE METAMORPHIC BELT.

ARCHEAN ULTRAHIGH TEMPERATURE METAMORPHISM IN THE NAPIER COMPLEX ANTARCTICA



SITE

243

THE PREMIER EXAMPLE OF AND TYPE AREA FOR ULTRAHIGH TEMPERATURE CRUSTAL METAMORPHISM.

COMBUSTION METAMORPHISM COMPLEX OF THE HATRURIM FORMATION IN THE NEGEV DESERT

ISRAEL



SITE

244

AN EXTRAORDINARY EXOTIC MINERAL ASSEMBLAGE THAT PROVIDES A SPECTACULAR EXAMPLE OF COMBUSTION METAMORPHISM OF OIL SHALE.

THE ECLOGITE TYPE LOCALITY AT HOHL

AUSTRIA



SITE

245

INSIGHTS INTO DEEP-CRUSTAL PROCESSES IN COLLISIONAL TECTONIC SETTINGS.

FOSSILISED SUBDUCTION CHANNEL IN NORTHERN SYROS

GREECE



SITE

246

ONE OF THE WORLD'S BEST PRESERVED FOSSILISED SUBDUCTION CHANNELS, DISPLAYING BLUESCHIST AND ECLOGITE EXHUMED FROM MANTLE DEPTHS.

5

VOLCANOLOGY

SITE 247 - SITE 259

MOUNT FUJI VOLCANO

JAPAN



SITE

247

A CULTURALLY ICONIC AND UNIQUELY ACTIVE BASALTIC ARC VOLCANO NEAR TOKYO, POSING SERIOUS GEOLOGICAL AND SOCIETAL RISKS.

MOUNT ST. HELENS VOLCANO

UNITED STATES OF AMERICA



SITE

248

A VOLCANO THAT HAS DRAMATICALLY ADVANCED GLOBAL UNDERSTANDING OF ARC-VOLCANO ERUPTIVE PROCESSES, HAZARDS, EFFECTIVE MONITORING, AND ERUPTION PREDICTION.

STROMBOLI VOLCANO
ITALY



SITE

249

THE "LIGHTHOUSE OF THE MEDITERRANEAN" STANDS OUT AS THE REFERENCE LOCALITY FOR STROMBOLIAN ERUPTIONS WORLDWIDE.

TORFAJÖKULL VOLCANO

ICELAND



SITE

250

ACTIVE VOLCANO WITH DIVERSE AND ABUNDANT SUBGLACIALLY FORMED RHYOLITE AND A CALDERA HOSTING A LARGE GEOTHERMAL AREA.

TAUPO VOLCANIC SYSTEM

NEW ZEALAND



SITE

251

A PROLIFIC SOURCE OF LARGE SILICIC ERUPTIONS, INCLUDING EARTH'S YOUNGEST KNOWN SUPERERUPTION ABOUT 25,400 YEARS AGO.

DAMAVAND VOLCANO

IRAN



SITE

252

THE GREATEST INTRACONTINENTAL STRATOVOLCANO WITH UNIQUE TECTONIC SETTING AND MYTHIC LEGACY, OFFERING AN ACCESSIBLE CLASSROOM TO VOLCANIC STRUCTURE AND HISTORY.

AMBRYM ACTIVE MAFIC VOLCANIC ISLAND

VANUATU



SITE

253

ONE OF THE LARGEST MAFIC CALDERA AND OPEN VENT VOLCANO ON EARTH WITH THE HIGHEST GAS PRODUCTION AND FREQUENT ERUPTIONS.

SLIEVE GULLION VOLCANIC COMPLEX

UNITED KINGDOM



SITE

254

EVIDENCE OF A COMPLEX AND HIGHLY EXPLOSIVE VOLCANIC SYSTEM, INCLUDING THE WORLD'S FIRST MAPPED RING DYKE.

MERU VOLCANO DEBRIS AVALANCHE DEPOSIT

TANZANIA



SITE

255

RESULTING FROM THE PARTIAL COLLAPSE OF MOUNT MERU, IT IS ONE OF THE LARGEST DEBRIS AVALANCHE DEPOSITS IN THE WORLD.

SOCOMPA DEBRIS AVALANCHE DEPOSIT

CHILE



SITE

256

ONE OF THE MOST SPECTACULAR AND BEST-PRESERVED VOLCANIC DEBRIS-AVALANCHE DEPOSITS WORLDWIDE, AMONG THE LARGEST IN CONTINENTAL ARC SETTINGS.

WELDED BLOCK-AND-ASH PYROCLASTIC FLOW DEPOSIT AT CERRO BRAVO VOLCANO

COLOMBIA



SITE

257

ONE OF THE EXCEPTIONALLY RARE WELDED BLOCK-AND-ASH PYROCLASTIC FLOW DEPOSIT ON EARTH.

YONGCHEONDONGGUL LAVA TUBE

SOUTH KOREA



SITE

258

ONE OF THE MOST BEAUTIFUL AND SCIENTIFICALLY VALUABLE LAVA TUBES IN THE WORLD

FERNANDO DE NORONHA ARCHIPELAGO ALKALINE MAGMATIC PROVINCE

BRAZIL



SITE

259

ONE OF THE MOST NOTABLE ALKALINE VOLCANIC PROVINCES AMONG OCEANIC ISLANDS WORLDWIDE.

6

TECTONICS

SITE 260 - SITE 271

THE MATTERHORN / MONTE CERVINO TECTONIC KLIPPE AND GLACIAL HORN

SWITZERLAND AND ITALY



SITE

260

WORLD FAMOUS SPECTACULAR GLACIAL HORN AND TECTONIC KLIPPE OF BASEMENT NAPPES THRUST OVER OCEANIC NAPPES

THE ANDEAN STRUCTURE AT CERRO ACONCAGUA

ARGENTINA



SITE

261

THE WORLD'S HIGHEST MOUNTAIN PRODUCED IN A FOLD AND THRUST BELT ASSOCIATED WITH ROBUST COMPRESSIVE SUBDUCTION.

THE ALPINE FAULT

NEW ZEALAND



SITE

262

ONE OF THE WORLD'S LARGEST ON-LAND TRANSFORM FAULTS AND LONGEST STRAIGHT-LINE LAND FEATURE ON EARTH

THE XIANSHUIHE FAULT

CHINA




SITE

263

AMONG THE WORLD'S MOST ACTIVE INTRACONTINENTAL FAULTS WITH ONE LARGE EARTHQUAKE OCCURRING EVERY CA. 30 YEARS.

WALLACE CREEK ALONG THE SAN ANDREAS FAULT

UNITED STATES OF AMERICA



SITE

264

WALLACE CREEK CLEARLY SHOWS THAT PLATE BOUNDARY DEFORMATION LOCALIZES AS THE FAULT SLIPS AND OFFSETS MARKERS IN GREAT EARTHQUAKES.

ZUCCALE LOW-ANGLE NORMAL FAULT AT ELBA ISLAND

ITALY



SITE

265

THE BEST EXPOSURE OF A CRUSTAL EXTENSIONAL SHEAR ZONE IN THE WESTERN MEDITERRANEAN AREA.

MORPHOTECTONIC LANDSCAPE OF THE CHICAMOCHA CANYON

COLOMBIA



SITE

266

A KEY SITE FOR STUDYING TRANSPRESSIONAL TECTONICS–SURFACE PROCESS INTERACTIONS AT INTRAPLATE BLOCK BOUNDARIES AND THEIR ASSOCIATED MORPHOSTRUCTURES.

MOUNT OLYMPUS TECTONIC WINDOW

GREECE



SITE

267

A TECTONIC WINDOW IN THE MOUNTAIN THAT SHAPED WESTERN CIVILIZATION.

GIANT SHEATH FOLDS IN WADI MAYH

OMAN



SITE

268

THIS SITE DISPLAYS RARE, LARGE AND SUPERBLY EXPOSED SHEATH FOLDS, WHICH FORMED DURING HIGH NON-COAXIAL STRAIN.

TAZOULT DIAPIRIC RIDGE AND CATHEDRAL CONGLOMERATE

MOROCCO



SITE

269

A WORLD CLASS SYN-SEDIMENTARY JURASSIC DIAPIR AND ALPINE TECTONIC INVERSION WITH POST DIAPIRIC SEDIMENTATION.

ACCRETIONARY PRISM OF CASTLEPOINT

NEW ZEALAND



SITE

270

ONE OF THE EARTH'S BEST EXPOSED AND ACCESSIBLE ACCRETIONARY WEDGE IN A MIOCENE - PLEISTOCENE SUBDUCTION FACTORY.

GRAMPIAN - TACONIC OROGENY TRANSECT IN CONNEMARA AND SOUTH MAYO

IRELAND



SITE

271

THE MOST COMPLETE AND ACCESSIBLE RECORD OF THE OPENING AND CLOSING OF THE IAPETUS OCEAN AND ASSOCIATED OROGENS.

7

MINERALOGY

SITE 272 - SITE 278

THE DUNDAS MINES CROCOITE MINERALIZATION

AUSTRALIA



SITE

272

SOURCE OF THE WORLD'S FINEST CROCOITE (LEAD CHROMATE) SPECIMENS.

SILVER WIRE-LIKE MINERALS AT THE KONGSBERG MINES

NORWAY



SITE

273

RENOWNED WORLDWIDE FOR ITS EXCEPTIONAL SILVER WIRE SPECIMENS, INCLUDING AN OUTSTANDING 375 KILOGRAM SINGLE SAMPLE DISCOVERED IN 1867.

ITOIGAWA JADEITITE

JAPAN



SITE

274

A PLATE TECTONIC GEMSTONE THAT CONNECTS DEEP EARTH HISTORY WITH HUMAN CULTURE.

THE BUTTE MINING DISTRICT ZONED PORPHYRY DEPOSIT

UNITED STATES OF AMERICA



SITE

275

ONE OF THE WORLD'S LARGEST ZONED PORPHYRY COPPER-MOLYBDENUM MINERALIZATIONS WITH POLYMETALLIC VEINS, SUPERGENE ENRICHMENT WITH CLASSIC HYDROTHERMAL ALTERATION.

IRON-MANGANESE-POLYMETALLIC MINERALIZATION AT THE LÅNGBAN MINES

SWEDEN



SITE

276

MINERALOGY'S CORNUCOPIA: ONE OF THE MOST MINERALOGICALLY DIVERSE DEPOSITS ON EARTH AND TYPE LOCALITY OF SOME 80 MINERAL SPECIES.

BAIA SPRIE VEIN-TYPE EPITHERMAL DEPOSIT

ROMANIA



SITE

277

A CLASSIC SITE FOR UNDERSTANDING THE EVOLUTION OF THE EPITHERMAL MINERAL DEPOSITS, PROVIDING AN EXCEPTIONAL MINERALOGICAL DIVERSITY.

THE MINERALIZATION OF THE CLARA BARITE AND FLUORITE MINE

GERMANY



SITE

278

A UNIQUE MINERAL LOCATION WITH MORE THAN 500 MINERAL SPECIES AND 17 TYPE MINERALS.

8

GEOMORPHOLOGY AND ACTIVE GEOLOGICAL PROCESSES

SITE 279 - SITE 290

FJORDS OF NORWAY

NORWAY



SITE

279

ICONIC SYMBOLS OF QUATERNARY GLACIAL EROSION AND AMONG THE WORLD'S MOST STUNNING LANDSCAPES.

THE GAVARNIE CIRQUE

FRANCE



SITE

280

AN OUTSTANDING NATURAL CIRQUE AS A REFERENCE LANDSCAPE SPANNING THE NATIONAL BORDERS OF FRANCE AND SPAIN.

GRANITIC TOWERS AND SPIRES OF THE FITZ ROY PLUTONIC COMPLEX

ARGENTINA



SITE

281

A STUNNING WORLD-CLASS LANDSCAPE SHAPED BY THE DRAMATIC FORCES OF MOUNTAIN FORMATION AND ANCIENT QUATERNARY GLACIATIONS.

FISH RIVER CANYON

NAMIBIA



SITE

282

ONE OF THE LARGEST CANYON ON EARTH ERODED THROUGH ROCKS SPANNING MORE THAN 2 BILLION YEARS AND REVEALING THREE OROGENIC CYCLES.

TRANG AN TROPICAL KARST

VIETNAM



SITE

283

THE BEST-KNOWN EXAMPLE OF A MARINE-INVADED BUT NOW EMERGED-ON-LAND TROPICAL KARST IN THE WORLD.

THE KARSTIC CHOCOLATE HILLS OF BOHOL ISLAND

PHILIPPINES



SITE

284

A TROPICAL KEGELKARST LANDSCAPE CARVED ON PLIOCENE-PLEISTOCENE LIMESTONE AND FORMED BY ACTIVE TECTONICS, CLIMATE, AND SEA-LEVEL CHANGE.

KARST AND TUFA LANDSCAPES OF THE DHOFAR MOUNTAINS

OMAN



SITE

285

AN EXCEPTIONAL EXAMPLE OF KARST EVOLUTION AND TUFA DEPOSITION IN THE SOUTHERN ARABIAN PENINSULA, A SEMI-ARID SETTING.

K'GARI SAND ISLAND

AUSTRALIA



SITE

286

PART OF THE LONGEST AND MOST COMPLETE AGE SEQUENCE OF COASTAL DUNE SYSTEMS IN THE WORLD.

AEOLIAN LANDFORMS OF CAMPO DE PIEDRA PÓMEZ

ARGENTINA



SITE

287

AN IMPRESSIVE EXAMPLE OF EROSIONAL-DEPOSITIONAL AEOLIAN LANDFORMS ON VOLCANIC ROCKS AT HIGH ALTITUDE.

SANDSTONE TOWER KARST OF PURNULULU

AUSTRALIA



SITE

288

UNIQUE SANDSTONE TOWER KARST AND THE KEY SITE TO RECOGNIZE SOLUTIONAL WEATHERING OF SILICA AND ROCK CONTROL IN GEOMORPHOLOGY.

SEYMAREH LANDSLIDE

IRAN



SITE

289

ONE OF THE MOST CATASTROPHIC QUATERNARY GEOLOGICAL EVENTS, SIGNIFIED AS THE LARGEST LANDSLIDE ON PLANET EARTH.

PLEISTOCENE VOLCANIC TUBE
LA CORONA-LA ATLÁNTIDA
SPAIN



SITE
290

WORLD LARGEST
UNDEWATER LAVA TUBE

9

IMPACT STRUCTURES AND EXTRATERRESTRIAL ROCKS

SITE 291 - SITE 295

THE HOBA METEORITE

NAMIBIA



SITE

291

THE LARGEST KNOWN METEORITE ON EARTH.

YAMATO MOUNTAINS BLUE ICE METEORITE FIELD

ANTARCTICA



SITE

292

AMONG THE RICHEST AND MOST DIVERSE METEORITIC FIELDS ON EARTH, FIRST IDENTIFIED IN ANTARCTICA.

LONAR LAKE IMPACT CRATER

INDIA



SITE

293

ONE OF THE YOUNGEST AND WELL-PRESERVED HYPERVELOCITY IMPACT CRATER IN A BASALTIC TARGET.

CHARLEVOIX ASTROBLEME

CANADA



SITE

294

ONE OF THE BEST PRESERVED ANCIENT COMPLEX METEOR CRATERS WITH RECOGNIZABLE RIM, CENTRAL PEAK AND STRUCTURES IN AN INHABITED AREA.

SUDBURY IMPACT STRUCTURE

CANADA



SITE

295

ONE OF THE WORLD'S OLDEST, LARGEST, BEST-PRESERVED, AND MOST ECONOMICALLY SIGNIFICANT IMPACT STRUCTURES.


10

MARINE GEOLOGY

SITE 296 - SITE 300

CHALLENGER DEEP SUBDUCTION TRENCH FLOOR

MICRONESIA




SITE

296

THE DEEPEST PLACE ON EARTH'S SOLID SURFACE.

DAIICHI-KASHIMA SEAMOUNT

JAPAN



SITE

297

FOSSIL SEAMOUNT OF CRETACEOUS AGE STRONGLY DEFORMED AND SPLIT BY NORMAL FAULITING BEFORE BEING SWALLOWED IN A SUBDUCTION ZONE.

TTT-TYPE TRIPLE JUNCTION SOUTH OF BOSO PENINSULA

JAPAN




SITE

298

WORLD UNIQUE TRENCH-TRENCH-TRENCH TRIPLE JUNCTION WITH A LARGE TRIANGLE COLLAPSE THROUGH ACCRETION AND EROSION BY THREE-PLATE SUBDUCTION.

RODRIGUES TRIPLE JUNCTION

HIGH SEAS




SITE

299

THE BEST STUDIED PLATE TRIPLE JUNCTION WHERE THREE MID-OCEAN RIDGE SYSTEMS MEET.

GODZILLA MEGAMULLION IN THE PARECE VELA BASIN

HIGH SEAS



SITE

300

THE LARGEST KNOWN OCEANIC CORE COMPLEX ON EARTH.

THE THIRD

100

IUGS GEOLOGICAL HERITAGE SITES

MORE INFORMATION

www.iugs-geoheritage.org

GET YOUR BOOKS!